Honeywell Genetron[®] Performax[™] LT (R-407F) Refrigerant



Best Capacity, Most Efficient, Lowest GWP Alternative to R-22

Outperforms Alternatives for New Supermarket Installations and Retrofits

The accelerated phase-out of R-22 means many supermarket refrigeration engineers will be looking for alternatives to R-22 to retrofit their systems. For retrofits or new supermarket installations, choose the refrigerant with the best combination of:

- Capacity
- Efficiency
- GWP
- · Mass flow

Outperforms Popular R-22 Retrofit Alternatives

- Best capacity match to R-22 in medium- and low-temperature applications
- The most efficient R-22 retrofit option in the marketplace
- Lowest GWP (1824) among R-22 replacements for commercial refrigeration
- Requires POE
- No TXV change or adjustments

- Compressor manufacturer approvals
- Lower discharge temperature than R-22

Product Availability

- Genetron Performax LT is sold through all Honeywell Genetron refrigerant wholesalers
- Product is available in 25# JUG™, 115# Cylinder, and Bulk

Technical Support

To speak to a refrigeration expert, call 1-800-426-8241

Visit www.genetronperformaxlt.com to:


- Watch our Performax LT videos and eLearning modules
- Download the Properties, Uses, Storage and Handling Guide.
- Read case studies from satisfied customers

Approved by Major Compressor Manufacturers

In 2011, Emerson Climate
Technologies approved
Performax LT as a retrofit
solution for supermarkets and
single/multi-compressor
refrigeration applications using
its Copeland® Discus®
compressors with R-22. Liquid
injection is required to keep the
compressor running cool in low
temperature systems.

Bitzer compressors also approved the use of Performax LT in North America as an R-22 retrofit solution for mediumtemperature systems.

Genetron Performax LT is UL Classified.



Operating Conditions: -25°F suction temperature, 15°F entering compressor, 10°F superheat, 105° Condensing Temperature, 10°F subcooling.

Figure 1. Genetron Performax LT Outperforms Alternatives for New Supermarket Installations and Retrofits




Figure 2. In a drop-in analysis, Genetron Performax LT preserves superheat, safeguarding compressors and ensuring full use of refrigerating capacity.

Disclaimer: The information provided herein are believed to be accurate and reliable, but are presented without guarantee or warranty of any kind, express or implied. User assumes all risk and liability for use of the information and results obtained. Statements or suggestions concerning possible use of materials and processes are made without representation or warranty that any such use is free of patent infringement, and are not recommendations to infringe any patent. The user should not assume that all safety measures are indicated herein, or that other measures may not be required.

Honeywell Genetron Refrigerants

101 Columbia Road Morristown, NJ 07962-1053 Phone: 1-800-631-8138

Phone: 1-800-631-8138 www.genetronperformaxlt.com

NJ 07962-1053 RESPONS 00-631-8138 April 2



Genetron is a registered trademark of Honeywell International Inc.
Performax and JUG are trademarks of Honeywell International Inc.
Copeland and Discus are registered trademarks of

Copeland and Discus are registered trademarks of Emerson Climate Technologies.

